

PANELUX™

PREMIUM WALL PANELS



PRESENTED BY:



Parker & Rome
— FLOOR AND HOME —

PANELUX.CA





PANELUX™

MEET THE VISIONARIES BEHIND PANELUX

Nestled in the heart of Calgary, PANELUX was born as an innovative extension of our mother brand, Parker&Rome. Our founders, driven by a passion for creating spaces that not only look good but feel good, envisioned PANELUX as a solution to the growing need for acoustic comfort in modern living and working environments.

WE HELP YOU CREATE YOUR SANCTUARY

We're not just transforming spaces—we're enhancing the quality of your life, one panel at a time. Our premium acoustic wood wall panels are designed to create environments that are comfortable, peaceful, and cozy, turning your home or workspace into a modern sanctuary.

PREMIUM QUALITY, UNBEATABLE VALUE

PANELUX was born out of a desire to transform any space into a peaceful sanctuary. In a noisy, cluttered world, we offer more than just eye-catching designs; we provide acoustic comfort through premium, eco-friendly materials. Our panels are a harmonious blend of quality, value, and aesthetic appeal, designed to offer you a lifestyle upgrade centered on comfort and luxury.

FACTS


Easy Installation: All you need is a few basic tools

[See install guide.](#)


Colours



White Oak




Brown Oak




Light
Smoked Oak



Silver Oak



Rustic Oak



Smoked
Oak




Black Oak




Oak



Walnut




Black
Walnut




Willow
Wood



Iron Sword



Rosewood



Brown Oak



intertek
Total Quality. Assured.


Flame Spread:

CAN/ULC S102.2-18 Standard Method of
Test for Surface Burning

Rating of 60 (Class B) Smoke rating 220



PANEL SIZING



Each panel covers 15.33 sqft

Base Material:

Made from recycled PET acoustical felt back that is 9mm thick



Sound Reduction:

intertek
Total Quality. Assured.

CAN/ULC ASTM C423

Mount A - 50% Noise Reduction NRC: 0.50
Mount C 50 - 100% Noise Reduction: 1.00
Mount D 20 - 65% Noise Reduction: 0.65

Slats:

MDF wood slats finished with a wood veneer

Slats measure 27mm x 13mm, with a distance of 13mm in between. Top to bottom thickness is 22mm



NOTES

[illegible]

PANELUX™

VISIT OUR SHOWROOM

Visit us in person 6 days a week!

5730 Burbank Cres SE
Calgary, AB T2H 1Z6

GET IN TOUCH

Phone: 403-754-4332

Email: customercare@parkerandrome.ca

panelux.ca
parkerandrome.ca



@paneluxcanada



@panelux



Parker & Rome
— FLOOR AND HOME —